CONTENTS OF HEREDITAS, VOLUME 120:1–3 (1994)

105 ASHLEY, T. and FREDGA, K.: The curious normality of the synaptic association between the sex chromosomes of two arvicoline rodents: *Microtus oeconomus* and *Clethrionomys glareolus*

99 ASHRAF, M.: Genetic variation for salinity tolerance in spring wheat

261 BAHRI-DARWICH, I., VAIMAN, D., OLSAKER, I., OUSTRY, A. and CRIBIU, E.P.: Assignment of bovine synteny groups U27 and U8 to chromosome 12 and 29, respectively

275 BEATON, M.J. and HEBERT, P.D.N.: Variation in chromosome numbers of *Daphnia* (Crustacea, Cladocera)

77 BROWN, A. H. D. and SCHOEN, D. J.: A revised measure of association of gene diversity values

183 CAMACHO, J. P. M.: Female-biased sex ratio in spiders caused by parthenogenesis?

41 CHEN, Z., HSIAO, K.-C. and BORNMAN, C. H.: Ploidy and division efficiency of petiolar protoplasts of *Brassica napus*

211 CHEN, Z., KLOCKARE, R. and SUNDQVIST, C.: Origin of somatic embryogenesis is proliferating root primordia in seed derived oat callus

1 CLARO, F., HAYES, H. and CRIBIU, E. P.: The C-, G-, and R-banded karyotype of the scimitar-horned oryx (*Oryx dammah*)

287 DAHLENFORS, R., LINDAHL, L. and MARK, J.: A fourth minor salivary gland mucoepidermoid carcinoma with 11q14-21 and 19p12 rearrangements

13 DAMGAARD, C., GULDBRANDTSEN, B. and CHRISTIANSEN, F. B.: Male gametophytic selection against a deleterious allele in a mixed mating model

19 ELO, K., VUORINEN, J. A. and NIEMELÄ, E.: Genetic resources of Atlantic salmon (*Salmo salar* L.) in Teno and Näätämö Rivers, northernmost Europe

47 FUNDIA, A., GORLA, N. and LARRIPA, I.: Spontaneous chromosome aberrations in Fanconi's anemia patients are located at fragile sites and acute myeloid leukemia breakpoints

267 GIESE, H., HOLM-JENSEN, A.G., MATHIASSEN, H., KJÆR, B., RASMUSSEN, S.K., BAY, H. and JENSEN, J.: Distribution of RAPD markers on a linkage map of barley

61 HANSEN, O.: The human language faculty: genetically determined? An approach to testable hypotheses

29 HASSANANE, M. S., CHOWDHARY, B. P., GU, F., ANDERSSON, L. and GUSTAVSSON, I.: Mapping of the interferon gamma (IFNG) gene in river and swamp buffaloes by in situ hybridization

245 IANNUZZI, L., DI MEO, G.P. and PERUCATTI, A.: An improved characterization of goat chromosomes by means of G- and R-band comparison

283 IANNUZZI, L., GALLAGHER, D.S., LIOU, L.S., DI MEO, G.P., RYAN, A.M., SASTRY, K.N. and WOMACK, J.E.: Chromosomal localization of conglutinin (*CGN1*) gene to river buffalo by sequentional RBH-banding and FISH

51 JAGETIA, G. C. and JACOB, P. S.: The influence of vinblastine treatment on the formation of radiation-induced micronuclei in mouse bone marrow

71 JUST, W., CABRAL D'ALMEIDA, C., GOLDSHMIDT, B. and VOGEL, W.: The male pseudohermaphrodite XX polled goat is Zfy and Sry negative

203 KARUNASRI, K. and SUBRAHMANYAM, N.C.: Genetic analysis of variegation mutants of Pearl millet, *Pennisetum glaucum*

165 LAMY, F., ANDRE, S., ROBERT, T. and SARR, A.: Use of isozymes and RFLP markers to assess genetic diversity in introgression procedures between "adapted" and "non adapted" maize populations (*Zea mays* L.)

281 LEWANDOWSKI, A. and MEJNARTOWICZ, L.: Detection of close linkage between glutamate and isocitrate dehydrogegenase allozyme loci in *Picea abies*
113 LINDE-LAURSEN, I. and BADEN, C.: Giemsa C-banded karyotypes of two cytotypes (2x, 4x) of *Psathyrostachys lanuginosa* (Poaceae; Triticeae)
87 LIU, D., JIANG, W., LU, C., ZHAO, F., HAO, Y. and GUO, L.: Effects of copper sulfate on the nucleolus of *Allium cepa* root-tip cells
151 LUNDQVIST, A.: The self-incompatibility system in *Ranunculus repens* (Ranunculaceae)
191 LUNDQVIST, A.: "Slow" and "quick" S-alleles without dominance interaction in the sporophytic one-locus self-incompatibility system of *Stellaria holostea* (Caryophyllaceae)
141 MELLINK, C. H. M., BOSMA, A. A. and DE HAAN, N. A.: Variation in size of Ag-NORs and fluorescent rDNA in situ hybridization signals in six breeds of domestic pig
217 MOLTO, M.D., MARTINEZ-SEBASTIAN, M.J. and DE FRUTOS, R.: Phylogenetic relationships between *Drosophila subobscura*, *D. guanche*, and *D. madeirensis* based on Southern analysis of heat shock genes
241 NARANJO, C.A., POGGIO, L., MOLINA, M.C. and BERNATENE, E.A.: Increase in multivalent frequency in F_1 hybrids of *Zea diploperennis* × *Z. perennis* by colchicine treatment
121 NAUMOV, G. I., NAUMOVA, E. S., GAILLARDIN, C., TURAKAINEN, H. and KORHOLA, M.: Identification of new chromosomes of *Saccharomyces bayanus* using gene probes from *S. cerevisiae*
253 OLIN-FATIH, M.: A new method for differential staining of *Brassica* metaphase chromosomes, and karyotypes of *B. campestris*, *B. oleracea*, and *B. napus*
231 PELTONEN, J., RITA, H., AIKASALO, R. and HOME, S.: Hordein and malting quality in northern barleys
35 PRATCHETT, N. and LAURIE, D. A.: Genetic map location of the barley developmental mutant *liguleless* in relation to RFLP markers
159 RING, O., JANSSON, H., ÖST, T. and ANDERSSON, T.: Inheritance of allozymes in the European grayling (*Thymallus thymallus* L.)
175 ŠIROKÝ, J., JANOUŠEK, B., MOURAS, A. and VYSKOT, B.: Replication patterns of sex chromosomes in *Melandrium album* female cells
81 SOCHA, R. and HODKOVÁ, M.: Selection for non-diapause in the heteropteran *Pyrrhocoris apterus*
7 TATENO, H., MIYAKE, Y-I., MORI, H., KAMIGUCHI, Y. and MIKAMO, K.: Sperm chromosome study of two bulls heterozygous for different Robertsonian translocations
225 THEILER, G.R. and GARDENAL, C.N.: Patterns of evolution in *Graomys griseoflavus* (Rodentia). I. Protein polymorphism in populations with different chromosome numbers
187 TZOCHEVA, K.: A new reciprocal translocation rcp(1p−; 11p+) in the karyotype of the boar
91 VERESHCHAGINA, N. M., ILIADI, I. K. and NIKITICH, O. A.: Comparative studies of *P*- and *hobo*-element activity, fitness components and recombination parameters in two natural populations of *Drosophila melanogaster* in Moldova
127 ZABALOU, S., ALAHIOTIS, N. S. and YANNOPOULOS, G.: A three-season comparative analysis of the chromosomal distribution of *P* and *hobo* mobile elements in a natural population of *Drosophila melanogaster*